

Education session one-OCD

I know from interviewing you both previously that you both are familiar with the dx that _____ has been given, and that is Obsessive Compulsive Disorder-OCD.

What does OCD mean to you? What kind of effect has it had on you?

Go over common myths

Look at myths page

Explain the diagnosis

Obsessive compulsive disorder is a major psychiatric disorder (OCD) that can affect all aspects of a person's functioning, including his or her relationships with others, the ability to work and recreational activities. Clients with OCD typically experience anxiety related to severe obsessions (repeated worries that are difficult to let go of) or compulsions (recurrent behaviors or thoughts that must be frequently repeated to reduce anxiety). Clients with OCD often understand that their obsessions are unrealistic or their compulsions are excessive, but they feel powerless to change. Some individuals with OCD lack insight into the senselessness of the obsessions and compulsions.

How Common is OCD?

OCD is a relatively common psychiatric disorder. Between two and three out of every one hundred persons (2-3 percent) develop OCD at some time during their life.

Course of Disorder

The course of OCD varies from one client to the next. OCD often develops in late adolescence or early adulthood, although onset during childhood and later in adulthood also occurs. For some clients, OCD is a chronic and debilitating disorder that lasts throughout much of their lives. Many clients are capable of recovering substantially from OCD, especially when they have received appropriate treatments for the disorder.

How diagnosis is established

OCD can only be diagnosed by a clinical interview. The purpose of the interview is to determine whether the client has experienced specific "symptoms" of the disorder and whether the client has experiences specific "symptoms" of the disorder and whether these symptoms have been present long enough to merit the diagnosis. OCD cannot be diagnosed with a blood test, an X ray, a CAT scan, or any other laboratory test.

Symptoms

I would like to spend a few minutes talking about symptoms. It is easy for me to give you a definition of each of these symptoms but when it comes down to explaining what these symptoms are actually like, _____ is the expert. I would appreciate your help, in helping your family understand more about some of these symptoms. Is that okay with you?

The Characteristic Symptoms of OCD

The symptoms of OCD can be broadly divided into three different categories: obsessions, compulsions and other symptoms. Clients with OCD can have either severe obsessions or severe compulsions, although the majority of clients have both types of symptoms. Regardless of which symptoms the client has, they cause significant distress and disruption to his or her life. Specific symptoms of OCD are described below.

Obsessions. Obsessions are recurrent thoughts, impulses or images that cause anxiety and are disturbing to the client such as the impulse to kill a loved child or the thought that one has somehow been exposed to a fatal disease. The insight clients have into the true basis of their concerns varies from one client to the next, ranging from a recognition that the obsessions are unrealistic to fully believing that the obsessions are realistic. However, regardless of the client's insight, obsessions cause distress, which leads to efforts to avoid, suppress, or neutralize these thoughts. These efforts provide temporary relief, but then the obsessions return again.

Compulsions. Compulsions are the urge to engage repeatedly in behaviors or thoughts in order to reduce anxiety related to an obsession or because the person finds it difficult to resist the behavior. These stereotyped behavior patterns serve no useful purpose, except to fend off anxiety. The compulsions can be so pervasive that the person repeats them innumerable times throughout the day. There are several types of specific compulsive symptoms which include:

Washing and Cleaning. Fear of dirt, disease and contamination are quite common among clients with OCD and one natural consequence of this fear is compulsions about cleanliness. Hand washing is common, to the point where the client may wash more than fifty to one hundred times per day, with resulting chaffing, redness and bleeding of skin. Vigorous body scrubbing, washing of clothes and excessive use of disinfectants may occur. The person may spend hours in the bathroom washing, attending to dental hygiene, etc., making it difficult to live a normal life. The fear of contamination may also lead to clients to avoid many situations or touching commonplace objects.

Checking. The client may repeatedly check on things, such as making sure the door is locked, windows are shut, electrical appliances are turned off, or a task has been done correctly. The person may check something many times in a row, just to make sure there is no safety risk or error. Even though the client knows he or she just checked something, the fear of possible catastrophe leads to checking again and again.

Ordering. An excessive level of order in the home or at work is maintained (such as requiring symmetry of objects, insisting on a particular organization of the house or workplace). The client spends a considerable amount of time keeping this order and may become anxious or angry if others upset the order.

Repeating. The client repeats specific actions over and over because of a "magical" belief that it will protect him or her in some way. For example, a client repeatedly dresses and undresses until a thought about her loved one being hurt disappears. Unlike washing, cleaning and checking rituals, repeating rituals are not

"logically" related to the concerns the person has; rather, the behaviors are simply repeated until the undesired thought or feeling goes away, sometimes after numerous repetitions.

Hoarding. The client had difficulty throwing things away, forming idiosyncratic collections of no value (such as scraps of paper, old newspapers, etc.). The major reason given by clients for saving the objects is that they may need them sometime in the future, although the need never seems to arise.

Thinking Rituals. The client develops thinking rituals that stop the obsession and neutralize the anxiety associated with it. These rituals may need to be repeated many times before the obsession is stopped. For example, a religious person with recurrent blasphemous thoughts may develop an elaborate set of specific prayers that are repeated over and over until the thought has ceased.

Other Symptoms

In addition to anxiety, which is present in most clients with OCD, a variety of other symptoms may also occur. Depression is a common problem for many clients, the obsessions and compulsions take control of their life. Alcohol and drug abuse problems may occur as clients try to escape the ever present obsessions or compulsions. Sometimes clients with OCD have quite bizarre obsessions that seem quite real to the person, and are thus delusions (or false beliefs). For example, one client was genuinely terrified of carpets because he was afraid of getting tacked under the carpet.

Then the client is asked whether he or she has experienced that symptom and if so is asked to describe what it was like.

Then the therapist asks family member whether they were aware that the client had a particular symptom.

The therapist makes it clear to the family that not all symptoms must be present for a client to have the psychiatric disorder.